Price list Kanardia EUR 2026

ROUND INDICATORS – INDU

Part n.	Name	Atribute	Description	EUR
Round instruments standard size and fit: 57 mm (2.25”) or 80 mm (3.15”)				
20003586	**Altimeter 57**	(master)	Round **standalone** (master) altimeter with internal pressure sensors. One needle + color LCD display. Scale in feet or meters.	450
20003579	**Altimeter 57**	(slave)	Round **slave** altimeter. Requires some PFD (Nesis, Emsis, Aetos or Horis) to be present on the CAN bus.	350
20003616	**Altimeter 80**	(master)	Round **standalone** (master) altimeter with internal pressure sensors. Two needles + color LCD display. Scale in feet or meters.	450
20003623	**Altimeter 80 (Battery)**	(master, battery)	Integrated **backup battery** option. The backup can also handle and additional indicator – typically airspeed indicator.	550
20003609	**Altimeter 80**	(slave)	Round **slave** altimeter. Requires some PFD (Nesis, Emsis, Aetos or Horis) to be present on the CAN bus. Scale in feet or meters.	350
20012014	**Vertical speed Indicator**	(57 mm, master)	57 mm round **standalone** vertical speed indicator with integrated pressure sensor.	450
20011987	**Vertical speed Indicator**	(57 mm, slave)	57 mm round **slave** vertical speed indicator. Requires master altimeter or some PFD (Nesis, Emsis, Aetos or Horis) to be present on the CAN bus.	350
20011970	**Vertical speed Indicator**	(80 mm, master)	80 mm round **standalone** vertical speed indicator with integrated pressure sensor.	450
20011956	**Vertical speed Indicator**	(80 mm, slave)	80 mm round **slave** vertical speed indicator. Requires master altimeter or some PFD (Nesis, Emsis, Aetos or Horis) to be present on the CAN bus.	350
20003449	**Airspeed Indicator**	(57 mm, master)	57 mm round **standalone** (master) airspeed indicator with internal pressure sensors. [standard 320 km/h max].	450
20014162	**Airspeed Indicator**	(57 mm, master, OAT)	57 mm round **standalone** (master) airspeed indicator with internal pressure sensors and outside air temperature digital sensor. When static pressure (altitude) is present on the CAN bus, **OAT** sensor enables TAS as well.	500
20003463	**Airspeed Indicator**	(57 mm, slave)	57 mm round **slave** airspeed indicator. Requires some PFD (Nesis, Emsis, Aetos or Horis) to be present on the bus.	350
20003432	**Airspeed Indicator**	(80 mm, master)	80 mm round **standalone** (master) airspeed indicator with internal pressure sensors. [standard 320 km/h max].	450
20003401	**Airspeed Indicator**	(80 mm, master, OAT)	80 mm round **standalone** (master) airspeed indicator with internal pressure sensors and outside air temperature digital sensor. When static pressure (altitude) is present on the CAN bus, **OAT** sensor enables TAS as well.	500
20003371	**Airspeed Indicator**	(80 mm, slave)	80 mm round **slave** airspeed indicator. Requires some PFD (Nesis, Emsis, Aetos or Horis) to be present on the bus.	350
20005221	**Combo**	(57 mm, master)	57 mm combined instrument: IAS, altitude, vertical speed indicator. You need to specify arc colors at the time of order.	550
20005214	**Combo**	(57 mm, slave)	57 mm round **slave** Combo indicator. Requires some PFD (Nesis, Emsis, Aetos or Horis) to be present on the bus. You need to specify arc colors at the time of order.	350
20005207	**Combo**	(80 mm, master)	80 mm combined instrument: IAS, altitude, vertical speed indicator. You need to specify arc colors at the time of order.	550
20005191	**Combo**	(80 mm, slave)	80 mm round **slave** Combo indicator. Requires some PFD (Nesis, Emsis, Aetos or Horis) to be present on the bus. You need to specify arc colors at the time of order.	350
20014001	**G-meter**	(57 mm, master)	57 mm round **standalone** G meter indicator.	450
20006747	**G-meter**	(57 mm, slave)	57 mm round **slave** G meter indicator. Requires some PFD (Nesis, Emsis, Aetos or Horis) to be present on the bus.	350
20006761	**G-meter**	(80 mm, master)	80 mm round **standalone** G meter indicator.	450
20014179	**G-meter**	(80 mm, slave)	80 mm round **slave** G meter indicator. Requires some PFD (Nesis, Emsis, Aetos or Horis) to be present on the bus.	350
20011697	**Tachometer**	(57 mm, master)	57 mm round **standalone** RPM indicator.	370
20011765	**Tachometer**	(57 mm, slave)	57 mm round **slave** RPM indicator. Requires **EMS** to be present on the CAN bus.	350
20011727	**Tachometer**	(80 mm, master)	80 mm round **standalone** RPM indicator.	370
20011703	**Tachometer**	(80 mm, slave)	80 mm round **slave** RPM indicator. Requires **EMS** to be present on the CAN bus.	350

Valid from November 9th, 2026 until new price list is issued. Prices are subject to change without prior notice.
All prices are set in EUR and do not include VAT. *Special price (480,00 EUR) for EMS valid only when ordered together with Digi, Emsis, or Nesis device.

Price list Kanardia EUR 2026

DIGI

Part n.	Name	Atribute	Description	EUR
Affordable display and EMS				
20006020	**DIGI**	(master)	Engine monitoring display (with internal memory). Requires **EMS** to be present on the CAN bus.	550
20006013	**DIGI**	(slave)	Slave engine monitoring display (no internal memory). Requires **EMS** to be present on the CAN bus.	550
20006273	**EMS***	(Classic Daqu)	Daqu engine monitoring system unit for all carbureted engines up to 6 cylinders.	800
20006259	**EMS***	(Mini Daqu)	Mini Daqu engine monitoring system unit for modern engines with ECU such as Rotax 912iS, 915iS, UL power, MW-fly.	800
20006327	**EMS***	(Daqu ECU)	Daqu ECU engine monitoring system unit for modern engines with ECU, when additional measuring points are needed.	800

HORIS

Part n.	Name	Atribute	Description	EUR
AD-AHRS electronic device for standard 57 / 80 mm cutout				
20006990	**HORIS PFD**	(57 mm)	HORIS – standalone unit with integrated sensors, 57 mm (2.25”) panel hole diameter. Includes internal AD-AHRS module, GPS antenna, OAT probe.	1150
20007034	**HORIS PFD**	(57 mm, battery)	Horis 57 standalone unit with integrated backup battery option.	1250
20006983	**HORIS PFD**	(80 mm)	HORIS – standalone unit with integrated sensors, 80 mm (3.15”) panel hole diameter. Includes internal AD-AHRS module, GPS antenna, OAT probe.	1150
20013592	**HORIS PFD**	(80 mm, battery)	Horis 80 standalone unit with integrated backup battery option.	1250
20007096	**HORIS slave**	(57 mm)	Horis – slave unit, 57 mm	610
20014018	**HORIS slave**	(57 mm, battery)	Horis 57 slave unit with integrated backup battery option.	710
20007126	**HORIS slave**	(80 mm)	Horis – slave unit, 80 mm	610
20013608	**HORIS slave**	(80 mm, battery)	Horis 80 slave unit with integrated backup battery option.	710

EMSIS

Part n.	Name	Atribute	Description	EUR
Emsis can be used as PFD (primary flight display) or as EMS (engine monitoring system).				
20021542	**Emsis 80**	(AHRS)	Emsis PFD unit with integrated sensors, 80 mm (3.15”) panel hole diameter. Includes internal AD-AHRS module, GPS antenna, OAT probe.	1250
20019426	**Emsis 80**	(no AHRS)	Emsis slave unit, 80 mm (3.15”) panel hole diameter. It requires Nesis, Aetos, Horis, Emsis PFD or EMS to be present on the bus (depending on the unit purpose.)	710
20006495	**Emsis 35**	(no AHRS)	Emsis slave unit, 3.5” panel hole diameter (larger than 80 mm version). It requires Nesis, Aetos, Horis, Emsis PFD or Daqu to be present on the bus (depending on the unit purpose.)	790
20006273	**EMS***	(Classic Daqu)	Daqu engine monitoring system unit for all carbureted engines up to 6 cylinders.	800
20006259	**EMS***	(Mini Daqu)	Mini Daqu engine monitoring system unit for modern engines with ECU such as Rotax 912iS, 915iS, UL power, MW-fly.	800
20006327	**EMS***	(Daqu ECU)	Daqu ECU engine monitoring system unit for modern engines with ECU, when additional measuring points are needed.	800

Valid from November 9th, 2026 until new price list is issued. Prices are subject to change without prior notice.
All prices are set in EUR and do not include VAT. *Special price (480,00 EUR) for EMS valid only when ordered together with Digi, Emsis, or Nesis device.

Price list Kanardia EUR 2026

NESIS LITE

Part n.	Name	Atribute	Description	EUR
Nesis Lite			**Engine sensors are not included in this kits.**	
20022952	**Nesis IV Lite PFD**	(AHRS)	Nesis IV Lite PFD – screen size 7.0" Nesis IV Lite comes with Kliky, integrated AHRS and GPS unit, GPS antenna, OAT probe, cables, accessories. It requires EMS to be present on the bus to display engine parameters.	2410
20023034	**Nesis IV Lite Slave**	(no AHRS)	Nesis IV Lite as slave display unit with Kliky – screen size 7.0"	1520
20006273	**EMS***	(Classic Daqu)	Daqu engine monitoring system unit for all carbureted engines up to 6 cylinders.	800
20006259	**EMS***	(Mini Daqu)	Mini Daqu engine monitoring system unit for modern engines with ECU such as Rotax 912iS, 915iS, UL power, MW-fly.	800
20006327	**EMS***	(Daqu ECU)	Daqu ECU engine monitoring system unit for modern engines with ECU, when additional measuring points are needed.	800

NESIS

Part n.	Name	Atribute	Description	EUR
Nesis			**Engine sensors are not included in this kits.**	
20022990	**Nesis IV PFD**	(size 7", AHRS)	Nesis IV PFD – screen size 7" Nesis comes with Kliky, integrated AHRS and GPS unit, GPS antenna, OAT probe, cables, accessories. It requires EMS to be present on the bus to display engine parameters.	3710
20017514	**Nesis III-ae PFD**	(size 8.4", AHRS)	Nesis 8.4 PFD – screen size 8.4" Nesis comes with integrated AHRS and GPS unit, GPS antenna, OAT probe, cables, accessories. It requires EMS to be present on the bus to display engine parameters.	4140
20020040	**Nesis IV PFD**	(size 10.1", AHRS)	Nesis IV PFD – screen size 10.1" Nesis comes with Kliky, integrated AHRS and GPS unit, GPS antenna, OAT probe, cables, accessories. It requires EMS to be present on the bus to display engine parameters.	5010
20023041	**Nesis IV slave**	(size 7", no AHRS)	Nesis 7" Slave unit with Kliky.	2220
20009076	**Nesis III-ae slave**	(size 8.4", no AHRS)	Nesis 8.4" Slave unit	2650
20020057	**Nesis IV slave**	(size 10.1", no AHRS)	Nesis 10.1" Slave unit with Kliky.	3520
20006273	**EMS***	(Classic Daqu)	Daqu engine monitoring system unit for all carbureted engines up to 6 cylinders.	800
20006259	**EMS***	(Mini Daqu)	Mini Daqu engine monitoring system unit for modern engines with ECU such as Rotax 912iS, 915iS, UL power, MW-fly.	800
20006327	**EMS***	(Daqu ECU)	Daqu ECU engine monitoring system unit for modern engines with ECU, when additional measuring points are needed.	800

Additional units

Part n.	Name	Atribute	Description	EUR
Optional units for Aetos/ Nesis instruments				
20003739	**Amigo**	(vertical)	Vertical autopilot panel for direct access to Autopilot functions.	750
20003722	**Amigo**	(horizontal)	Horizontal autopilot panel for direct access to Autopilot functions.	750
20023812	**Amigo**	(57)	57 mm autopilot panel for direct access to Autopilot functions.	750
20020002	**Amigo**	(80)	80 mm autopilot panel for direct access to Autopilot functions.	750
20019570	**Seru II**		Adds autopilot function for one axsis, 8 Nm	790
20008680	**Magu**	(Nose)	Electronic magnetic compass. Adds wind indication and true heading. **Nose** installation	450
20008697	**Magu**	(Tail)	Electronic magnetic compass. Adds wind indication and true heading. **Tail** installation	450
20004217	**Boxi**		BOXI controller for pitch and roll electrical trims, radio transmition.	200
20008413	**Joyu**		JOYU handle adds remote control capability to your Nesis, Aetos or Emsis. In connection with Boxi it enables trim control.	350

Valid from November 9th, 2026 until new price list is issued. Prices are subject to change without prior notice.
All prices are set in EUR and do not include VAT. *Special price (480,00 EUR) for EMS valid only when ordered together with Digi, Emsis, or Nesis device.

Price list Kanardia EUR 2026

UPS

Part n.	Name	Atribute	Description	EUR
External backup battery kit				
20002770	**UPS-L**		External backup Li-ION battery with integrated electronics + double pole switch. Max current 350 mA. Suitable for Indu, Digi, Horis.	200

ACCESSORIES

Part n.	Name	Atribute	Description	EUR
Various accessories				
20000424	**BLU**		CAN bus to bluetooth interface. Essential tool for Horis, Digi and Indu instruments. Allows software updates and some configuration. Requires Android device with Android version 4.4 or above.	75
20020705	**SVEN (to Amigo)**		Kanardia RS232 dongle, designed for Amigo	75
20020712	**SVEN (to Nesis)**		Kanardia RJ12 dongle, designed for Nesis	75
20023997	**WI-FI**		Wi-Fi / BT wireless adapter	20
20006068	**LUMIS**		Brightness control unit	150

CHARTS

Part n.	Name	Atribute	Description	EUR
Raster charts				
20005788	**C-DFS-D**	(Germany)	Visual 500 Germany	70
20005856	**C-DFS-NL**	(Netherlands)	Visual 500 Netherlands	40
20005832	**C-DFS-DK**	(Denmark)	Visual 500 Denmark	40
20005894	**C-DFS-CH**	(Swiss)	Visual 500 Swiss	40
20005771	**C-DFS-A**	(Austria)	Visual 500 Austria	40
20005849	**C-DFS-F (NE)**	(France)	Visual 500 France, North East part only	40
20005795	**C-DFS-B**	(Belgium)	Visual 500 Belgium	40
20005863	**C-DFS-P**	(Poland)	Visual 500 Poland NW + W	40
20005818	**C-DFS-CZ**	(Czech Republic)	Visual 500 Czech Republic	40
20005801	**C-DFS-CR**	(Croatia)	Visual 500 Croatia	40
20014025	**C-DFS-HU**	(Hungary)	Visual 500 Hungary	40
20005887	**C-DFS-SP**	(Spain)	Visual 500 Spain	40
20005870	**C-DFS-PT**	(Portugal)	Visual 500 Portugal	40
20005825	**C-DFS-IT**	(Italy)	Visual 500 Italy	40
20005900	**C-DFS-All**		Complete set of all DFS raster charts	200
20000646	**C-USR-DIG**		User provided digital map source. Geo-referencing and converting.	40
20000653	**C-USR-PAP**		User provided paper map source. Scanning, geo-referencing and converting.	80

CABLES

Part n.	Name	Atribute	Description	EUR
Cables				
20000561	**C-PWR**		Power supply cable	5
20000578	**C-PWR-2**		Power supply cable v2	5
20002220	**C-RR**		CAN cable RJ45 connector on both sides. Random length.	20
20004705	**C-RB**		CAN cable RJ45 connector on one side, Binder (round 5 pole) on the other.	20
20000585	**T-CAN**		T-CAN, T junction – three RJ45 connections.	25
20000608	**C-TP**		CAN terminator plug	3
20002275	**C-AUD**		Audio cable.	5

Valid from November 9th, 2026 until new price list is issued. Prices are subject to change without prior notice.
All prices are set in EUR and do not include VAT. *Special price (480,00 EUR) for EMS valid only when ordered together with Digi, Emsis, or Nesis device.

Price list Kanardia EUR 2026

SENSORS

Part n.	Name	Atribute	Description	EUR
			Sensors & small accessories	
20014445	S-CR12	(12 mm)	Thermocouple (type J), 12mm ring – (Jabiru).	50
20014452	S-CR14	(14 mm)	Thermocouple (type J), 14mm ring	50
20014469	S-CR18	(18 mm)	Thermocouple (type J), 18mm ring	50
20002329	S-CBLY		Thermocouple adjustable bayonet (type J), 3/8"-24, tip 2 1/2" x 3/16" – (Lycoming).	70
20010492	S-ESRTX		Thermocouple (type K), insulated, M8x1 screw type – (Rotax).	50
20010461	S-EGT-HC-20	(Clamp size: 18-32)	Thermocouple (type K), hose clamp ¾ - 1 ¾" – (Rotax).	50
20010478	S-EGT-HC-25	(Clamp size: 21-44)	Thermocouple (type K), hose clamp ¼ - 1 ¼" – (Jabiru).	50
20010485	S-EGT-HC-40	(Clamp size: 40-63)	Thermocouple (type K), hose clamp ½ – 2" – (Lycoming).	50
20010676	S-TVDO	(1/8-27 NPT)	Oil or water temperature probe VDO (0 to 150 °C), 1/8-27 NPT – (Rotax, Jabiru).	50
20010669	S-TVDO	(M10*1.5)	Oil or water temperature probe VDO (0 to 150 °C), M10x1.5 – (Rotax).	50
20002343	S-OWLYC		Oil temperature (100-150 °F), 5/8-18 UNF – (Lycoming).	50
20010515	S-OAT		Outside air temperature digital sensor 1,5m.	50
20002312	S-CAT		Carburetor temperature sensor UNF, (thread ¼ x 28").	70
20023522	S-PR-30	(30 psi)	Active pressure sensor (0 to 2 bar), 1/8-27 NPT – (all engines).	200
20010324	S-PR-150	(150 psi)	Active pressure sensor (0 to 10 bar), 1/8-27 NPT – (all engines).	200
20010331		1.0 Bar	Sensor pressure Manifold	90
20010348		2.5 Bar	Sensor pressure Manifold	90
20010355		3.0 Bar	Sensor pressure Manifold	90
20023867		FS-40-10-AL	Sensor fuel flow FS40 (up to 40 l/h)	190
20023874		FS-40-12-AL	Sensor fuel flow FS40 (up to 90 l/h)	190
20002367	S-ROTOR		Rotor RPM – proximity sensor, 12-24V.	70
20014537	Sensor current Hall	30 A	For currents up to -/+30 A.	60
20014544	Sensor current Hall	60 A	For currents up to -/+60 A.	60
20014520	Sensor current Hall	100 A	For currents up to -/+100 A.	60
20003814	C-GPS		GPS antenna + standard length cable.	20

SERVICES

Part n.	Name	Atribute	Description	EUR
			Various services	
20009984	MOD. SCALE	INDU	Scale modification for indicator (Altimeter excluded)	120
20014032	MOD. SCALE	ALT	Scale modification for Altimeter	160
20008543	REP.LCD	Indu	LCD repair (Indu)	120
20008536	REP.LCD	Horis	LCD repair (Horis)	120
20024611	REP.LCD	Horis (old model)	LCD repair (Horis 57 (old model))	700
20015343	REP.LCD	Nesis / Aetos	LCD repair (Nesis / Aetos)	600
20020316	REP. ELMA		Repair - rotating knob (ELMA encoder)	100
20024710	REP.PST.PTOT		Repair - Internal Pst/Ptot sensor	100
20024376	REPLAC. A20		Replacement A20 (SBC) module	150
20014049	REPLAC. AIRU		AD-AHRS module replacement	350
20024574	REPLAC. NESIS	Nesis III 7"	Nesis replacement program (old Nesis III 7" can be replaced with new Nesis IV 7" with Kliky.	2.250
20012441	REPLAC. NESIS	Nesis III-ae 8.4"	Nesis replacement program (old Nesis III can be replaced with new Nesis III-ae).	2.750
20014056	PROGRAMMING		Programming custom features – working hour	120
20002510	SERVICE		Various instrument repairs – working hour	80
20020231	SEC. H. DEV. SUP.		Second hand devices support – working hour	100
20001148	EMSIS LAYOUT		Emsis layout programming – working hour	100

Valid from November 9th, 2026 until new price list is issued. Prices are subject to change without prior notice.
All prices are set in EUR and do not include VAT. *Special price (480,00 EUR) for EMS valid only when ordered together with Digi, Emsis, or Nesis device.